## LONG MEADOW SCHOOL

# **MATHEMATICS CALCULATION POLICY**



Date of last review:	June 2022
Date of next review:	June 2025
Type of policy:	Non-Statutory
Frequency of review:	Every 3 years
Governor committee:	Governing Body

This policy has been developed to ensure progression and consistency across the school. A range of variations have been included to support the pupils in their understanding of number and calculation. This document should be used to support children to develop a deep understanding of number and calculation. It has been designed to teach children through the use of concrete, pictorial and abstract representations.

- Concrete representation using objects to introduce a skill or idea to develop conceptual understanding.
- Pictorial representation children can relate using concrete representations to pictorial representations, such as a diagram or picture of the problem.
- Abstract representation problems be represented by using mathematical notation

## Year 1 Addition

Objective & Strategy	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part-part whole model	Use cubes to add two numbers together as a group or in a bar.	3       3	4 + 3 = 7 $10 = 6 + 4$ $3$ Use the part-part whole diagram as shown above to move into the abstract.
Starting at the bigger number and counting on	Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.	12 + 5 = 17 $12 + 5 = 17$ $10 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +$	5 + 12 = 17 Place the larger number in your head and count on the smaller number to find your answer.
Regrouping to make 10	6 + 5 = 11 Start with the bigger number and use the smaller number to make 10.	Use pictures or a number line. Regroup or partition the smaller number using the part-part whole	7 + 4 = 11 If I am at seven, how many more do I need to make 10. How many more do I add on now?

Maths Calculation Policy

		model to make 10. 9 + 5 = 14 1 4 +1 +4 1 + 1 + 4 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +	
Represent & use number bonds and related subtraction facts within 20	2 more than 5 is 7.	Draw 2 more hata Draw 2 more hata Draw 2 more hata Draw 2 more hata	Emphasis should be on the language. '1 more than 5 is equal to 6.' '2 more than 5 is 7.' '8 is 3 more than 5.'

## Year 2 Addition

Objective & Strategy	Concrete	Pictorial	Abstract
Adding multiples of 10	Model using dienes and bead strings.	Use representations for base ten.	20 + 30 = 50 70 = 50 + 20 $40 + \Box = 60$
Use known number facts: part-part whole	Children explore ways of making numbers within 20.	$20 \boxed{}$ $+ \boxed{} = 20  20 - \boxed{} = \boxed{}$ $+ \boxed{} = 20  20 - \boxed{} = \boxed{}$	+ 1 = 16 $16 - 1 =  1 +   = 16 16 -   = 1$
Using known facts.		$\begin{array}{c} \vdots & + & \vdots & = & \vdots \\  (  +  )   & = &         \\ & & & + & = & = \\ & & & & = \\ & & & & = \\ & & & &$	3 + 4 = 7 leads to 30 + 40 = 70 leads to 300 + 400 = 700


Bar model	Arrange items in a bar.	****	23 + 25 = 48
		3333333	23 25
	3 + 4 = 7	7 + 3 = 10	?
		Draw items in a bar.	
Add a two- digit number and ones	17 + 5 = 22 Use ten frame to make ten. Children explore the pattern. 17 + 5 = 22 27 + 5 = 32	Use part-part whole and number line to model. 17 + 5 = 22 3 2 16 + 7 16 + 7 16 + 7 16 = 20 16 = 23	17 + 5 = 22 Explore related facts $17 + 5 = 22$ $5 + 17 = 22$ $22 - 17 = 5$ $22 - 5 = 17$ $22$ $17 5$
Add a two- digit number and tens	25 + 10 = 35 Explore that the ones digit does not change	27 + 30 +10 +10 +10 	27 + 10 = 37 27 + 20 = 47 $27 + \Box = 57$

Add two 2- digit numbers	Model using Dienes, place value counters and Numicon.	+20 +5 Or +20 +3 +2 47 $67$ $72$ $47$ $67$ $70$ $72Use number line and bridge ten using part whole if necessary.$	<b>25 + 47</b> <b>20 + 5</b> <b>40 + 7</b> <b>20 + 40 = 60</b> <b>5 + 2 = 7</b> <b>60 + 12 = 72</b>
Add three 1-digit numbers	<ul> <li>4 + 7 + 6 = 17</li> <li>Combine making 10 first if possible then add third digit.</li> <li>Put 4 and 6 together to make 10. Add on 7.</li> </ul>	$\frac{1}{10} + \frac{1}{10} $	4 + 7 + 6 = 10 + 7 $= 17$ Combine the two numbers that make 10 and then add on the remainder.

6

## Year 3 Addition

Objective & Strategy	Concrete	Pictorial	Abstract
Column addition: no regrouping Add two or three 2 or 3- digit numbers	T     O       Add together       the ones first       then add the       tens.	additions.	Add the ones first, then the tens, then the hundreds. Start by partitioning the numbers then move onto formal column.
			$\begin{array}{r} + 100 10 4 \\ \hline 300 30 7 \\ \hline 337 \end{array}$
	7 9 Use the Dienes or Numicon first before mo onto place value counters.	ing	223
	0000		+ 1 1 4
			337



#### Year 4 – 6 Addition

Objective & Strategy	Concrete	Pictorial	Abstract
Year 4 Add numbers with up to 4- digits	As Year 3, using Dienes or place value counters.	As Year 3.	As Year 3 (formal column) but exchanging 100s as well as 10s. 3517 + 396 3913
Year 5 Add numbers with more than 4 digits Add decimals with 2 decimal places, including money	As Year 4 but introduce decimals using place value counters and model exchanging.	As Year 4. 2.37 + 81.79 tens ones tents hundred the 00 0000 0 00000 00000 000000 0 00000 00000 000000 0 00000 00000	Link to money and measures. 67.5 +54.6 122.1 1.1 2.1 1.1 2.1 1.1 2.1 1.1 2.1 1.1 2.1 1.1 2.1 1.1 1.1 2.1 1.1 2.1 1.1 1.1 2.1 1.1 1.1 2.1 1
Year 6 Add several numbers of increasing complexity, including adding money, measures. Add decimals with different	As Year 5.	As Year 5.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

numbers of decimal places.		4 2 · 4 6 3 8 · 9 I O
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
		21

## Year 1 Subtraction

Objective & Strategy	Concrete	Pictorial	Abstract
Taking away ones	Use physical objects (counters, cubes etc) to show how objects can be taken away.	$\begin{array}{c} & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ &$	7 - 4 = 3 16 - 9 = 7
Counting back	Move objects away from the group, counting backwards.	away. $\begin{array}{c}                                     $	Put 13 in your head, count back 4. What number are you at?

	Move the beads along the bead string as you count backwards.		
Find the difference	Compare objects and amounts. 7 'Seven is 3 more than four' 4 'I am 2 years older than my sister' 5 Pencils 3 Erasers 7 Lay objects to represent bar model.	Count on using a number line to find the difference. $ \begin{array}{c} 8 - 2 = 6 \\ 6 \\ 0 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 9 \\ 10 \end{array} $ Draw bars to find the difference between two numbers. $ \begin{array}{c} 1 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 9 \\ 10 \end{array} $ Draw bars to find the difference between two numbers. $ \begin{array}{c} 1 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 9 \\ 10 \end{array} $ Draw bars to find the difference between two numbers. $ \begin{array}{c} 1 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 9 \\ 10 \end{array} $ Draw bars to find the difference between two numbers. $ \begin{array}{c} 1 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 9 \\ 10 \end{array} $ Draw bars to find the difference between two numbers. $ \begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$	Hannah has 12 sweets and her sister has 5. How many more does Hannah have than her sister?

Represent and use number bonds and related subtraction facts within 20: part-part whole model	Link to addition. Use part-part whole model to model the inverse. If 10 is the whole and 6 is one of the parts, what is the other part? 10-6=4	Use pictorial representations to show the part.	Move to using numbers within the part whole model. 5 12 7
Make 10	14 – 9 = 5	13 - 7 = 6	16 - 8 = 8
		Jump back 3 first, then another 4. Use ten as the stopping point. 13 - 7 = 6 $3 4$ $4 4$ $4$	How many do we take off first to get to 10? How many left to take off?
	Make 14 on the ten frame. Take 4 away to make ten, then take one more away so that you have taken 5.		


## Year 2 Subtraction

Objective & Strategy	Concrete	Pictorial	Abstract
Regroup a ten into ten ones	Use a place value chart to show how to change a ten into ten ones. Use Dienes or place value counters.	Draw representations and cross off.	20—4 = 16
Partitioning to subtract without re- grouping	34 – 13 = 21 Use Dienes/PV counters to show how to partition the number when subtracting without regrouping.		43 - 21 = 22
Make ten strategy Progression should be crossing one ten, crossing more than one	Use a bead strings to model counting to next ten and the rest.	+6 $+10$ $+274 80 90 92$	92 - 74 = 18 Maths Calculation Policy

ten, crossing the hundreds.	Use a number line to count on to next ten and then the rest.	

#### Year 3 Subtraction

Objective & Strategy	Concrete	Pictorial	Abstract
Column subtraction: no regrouping	47 – 32 = 15 Use Dienes, Numicon, place value counters, making the larger number first then taking away the smaller number.	$\frac{105}{265 - 124 = 141}$	Start by partitioning the numbers then move onto formal column. 6 1 - 3 2 = 35 6 0 7 - 30 2 30 5 35 6 7 - 32 35




#### Year 4 – 6 Subtraction

Objective & Strategy	Concrete	Pictorial	Abstract
Year 4 Subtract using formal column methods with numbers up to 4-digits	As Year 3.	As Year 3.	As Year 3. Link to money and measures.

Year 5 Subtract with at least 4- digits, including money and measures	As Year 4.	As Year 4.	Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal. 4728 - 300 $-319 \cdot 21$ +409 - 29
Year 6 Subtract with increasingly large and more complex numbers and decimal values			Use zeros for place holders. 652712 -29628 623084
			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

## Year 1 Multiplication

Objective & Conc Strategy	crete Pictorial	Abstract
------------------------------	-----------------	----------



Arrays	Create arrays using cubes or counters.	Draw arrays in different rotations.	
Allays	Use objects laid out in arrays to find the answers to 2 lots 5, 3 lots of 2 etc.	Draw arrays in different rotations. $0 \circ 0 \circ 0 + x^2 = 8$ 2x 4 = 8 $0 \circ 0 \circ 0 + x^2 = 8$ 2x 4 = 8 $0 \circ 0 \circ 0 + x^2 = 8$ $0 \circ 0 \circ 0 + x^2 = 8$	3 x 2 = 6 2 x 5 = 10

## Year 2 Multiplication


Objective & Strategy	Concrete	Pictorial	Abstract
Doubling	Use dienes, place value counters. $D_{auble}$ $D_{13}$ $D_{14}$ $D_{15}$	As Year 1.	Partition a number and then double each part before recombining it back together. $\begin{array}{c} 14\\ 10\\ 1_{x2}\\ 1_{x2}\\ 20 + 8 = 28 \end{array}$

Counting in multiples of 2, 3, 4, 5, 10 from 0 (repeated addition)	5 + 5 + 5 + 5 + 5 + 5 + 5 = 40 As Year 1, link to repeated addition.	Number lines, counting sticks and bar models should be used to show representation of counting in multiples.	Count in multiples of a number aloud. Write sequences with multiples of numbers. 0, 2, 4, 6, 8, 10 0, 3, 6, 9, 12, 15 0, 5, 10, 15, 20, 25, 30
		3 3 3 3 ?	3 x 5 =
Multiplication is commutative	Create arrays as in Year 1. Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.	Use representations of arrays to show different calculations and explore commutativity.	12 = $3 \times 4$ 12 = $4 \times 3$ $4 \times 3 = 12$ $3 \times 4 = 12$ Use arrays to write repeated addition sentences. 5 + 5 + 5 = 15 3 + 3 + 3 + 3 = 15

Using the inverse Teach alongside division so children learn how they work with each other.	$ \begin{array}{c} 8\\ 4\\ 2\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	2 x 4 = 8 4 x 2 = 8 8 $\div$ 2 = 4 8 $\div$ 4 = 2 8 = 2 x 4 8 = 4 x 2 2 = 8 $\div$ 4 4 = 8 $\div$ 2 Show all 8 related fact family sentences.
---	--	---

## Year 3 Multiplication

Objective & Strategy	Concrete	Pictorial	Abstract
Grid method	Show the links with arrays to first introduce the grid method. The second se	$24 \times 3 = 72$ $\frac{1}{20} \frac{4}{3}$ $\frac{1}{3} \frac{20}{00} \frac{4}{0000}$ $\frac{1}{00000}$ $\frac{1}{00000}$ $\frac{1}{00000}$ $\frac{1}{00000}$ $\frac{1}{12}$ $\frac{1}{12}$ $\frac{1}{72}$ Bar model are used to explore missing numbers. $4 \times 1 = 20$ $20$ $4$	×     20     3       4     80     I2     = 92



## Year 4 Multiplication

Objective & Strategy	Concrete	Pictorial	Abstract
Grid method	As Year 3 but moving onto multiplying 3- digit numbers by a 1-digit number.	As Year 3 but moving onto multiplying 3-digit numbers by a 1-digit number.	× 200 50 3 6 1200 300 18 = 1518
Column multiplication Short multiplication	Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping (321 x 2 = 642) If is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.	The grid method may be used to show how this relates to a formal written method.         Image: Constraint of the state of the sta	If it helps, children can write out what they are solving next to their answer. $ \begin{array}{r} 327 \\ 447 \\ 28 \\ (4x7) \\ 80 \\ (4x20) \\ 1200 \\ (4x300) \\ 1308 \\ 1408$

## Year 5 – 6 Multiplication

Objective & Strategy	Concrete	Pictorial	Abstract
Year 5 Column multiplication Long Multiplication	As Year 4 but with numbers up to 4 digits by a one- or two-digit number.	As Year 4. $\begin{array}{c ccccccccccccccccccccccccccccccccccc$	As Year 4 but including long multiplication. 48 X 1 6 2 8 8 24 48 7 6 8 1
Year 6 Column multiplication including decimals			Consolidate Year 5.

## Year 1 Division

Objective & Strategy	Concrete	Pictorial	Abstract
Division as sharing	<image/> <image/>	Children use pictures or shapes to share quantities.	Share 9 cakes between 3 people.

## Year 2 Division

Objective & Strategy	Concrete	Pictorial	Abstract
Division as sharing	As Year 1.	As Year 1 but children use bar modelling to show and support understanding. 12 ÷ 4 = 3 12	12÷4=3
Division as grouping	bivide quantities into equal groups. Use cubes, counters, objects or place value counters to support understanding.	Use a number line for grouping. ++++++++++++++++++++++++++++++++++	30 ÷ 5 = 6 Divide 30 into 5 groups. How many are in each group?


#### Year 3 Division

Objective & Strategy	Concrete	Pictorial	Abstract
Division as grouping	Use cubes, counters, objects or place value counters.	As Year 3 with the bar model. Use a number line to show jumps in groups.	How many groups of 6 in 24? 24 ÷ 6 = 4
	96 ÷ 3 = 32	The number of jumps equals the number of groups. 0 1 2 3 4 5 6 7 8 9 10 11 12 4 $3$ $3$ $3$ $3$ $3$ $3$ $3$ $3$	
Division with arrays	Link division to multiplication by creating an array and thinking about the number sentences that can be created. $15 \div 3 = 5, 5 \times 3 = 15, 15 \div 5 = 3, 3 \times 5 = 15$	Draw an array and use lines to split the array into groups to make multiplication and division sentences.	Find the inverse of multiplication and division sentences by creating four linking number sentences. $7 \times 4 = 28$ $4 \times 7 = 28$ $28 \div 7 = 4$ $28 \div 4 = 7$

Division with 14 ÷ 3 = remainders	=	Equal jumps in a number line then see how many more you need to jump to find the remainder.	Complete written divisions and show the remainder using r.
remainders	objects between groups and see how much is	need to jump to find the remainder. $35 \div 3 = 11 r1$ $35 \div 3 = $	show the remainder using r. $29 \div 8 = 3$ REMAINDER 5 $\uparrow \uparrow \uparrow \uparrow$ dividend divisor quotient remainder Introduce the vocabulary of division: dividend, divisor, quotient, remainder.

## Year 4 – 6 Division

Objective & Strategy	Concrete	Pictorial	Abstract
Year 4	Consolidate Year 3. Children need to be secure in division facts (linked to multiplication facts) and their understanding of division, with and without remainders.	Consolidate Year 3.	Consolidate Year 3.



Long division	Write the first 5 multiples of the divisor (you may need more).		
0	Underline the first two digits in the dividend.		
Divide by 2-	Work out how many lots of the divisor goes into the target number		
digit numbers	(write this in the quotient).	194-22	
including	Subtract the 'lots of' number to get a remainder.	211 111 - 0	
decimals by	Drop down then next digit.	24 4678	
drop down method.	Repeat step until all digits have been dropped down.	-24 1	24
	Express remainder as a fraction or decimal or as a rounded number	227	48
	depending on the context of the problem.	-2161	72
		0 1 1 8	96
		- 96	120
		22	144
			168
			192
			216